MARINE DOOR

# Marine Steel Door

Standard: CB751-68 This kind of marine steel door is used for working cabin and the inland ship. Type: MA-heavy steel watertight door MB-light steel watertight door MC-light steel wat...

ISO9001 Supplier

Class Certificate

Export Supply




## Key Highlights

| | |
|---|---|
| **Category** | Marine Door |
| **Standard** | CB |
| **Material** | Steel |
| **Weight / Size** | Main Size List(mm): |
| **Certificate** | CCS, BV, ABS, GL, LR, DNV, NK,RINA, KR,IRS |

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.


## Technical Specifications

| | | | |
|---|---|---|---|
| **Category** | Marine Door | **Model / SKU** | Marine-Steel-Door |
| **Standard** | CB | **Material** | Steel |
| **Weight / Size** | Main Size List(mm): | **Certificate** | CCS, BV, ABS, GL, LR, DNV, NK,RINA, KR,IRS |
| **Warranty** | 12 Months unless specified otherwise | **Origin** | China |

**CONTENTS**

- China Marine Steel Door:
- Main Size List(mm):
- Type:

## China Marine Steel Door:




Standard: CB751-68

This kind of marine steel door is used for working cabin and the inland ship.

## Type:

MA-heavy steel watertight door

MB-light steel watertight door

MC-light steel watertight door with fixed round window

MD-light steel watertight door with linked clips

ME-light steel watertight door with linked clips & fixed found window

FA-Non-watertight steel door

FB-Non-watertight steel door with fixed round window

BA-Semi-watertight steel door

BB-Semi-watertight steel door with fixed round window

BC-Semi-watertight steel door with double half leaves

*Watertight steel door must pass the hose test with nozzle diameter 12.5mm and the water pressure 0.25Mpa. Semi-watertight steel door must pass the hose test from the top to the bottom, but without the water pressure requirement.

## Main Size List(mm):

| Type | Doorway Size | Wall Opening Size | B2 | B3 | L2 | L3 | t | Clip Qty | Weight(kgs) |
|---|---|---|---|---|---|---|---|---|---|
| | BXL | B1XL1 | | | | | | | |
| MA | 500X1000 | 560X1060 | 536 | 672 | 1040 | 1172 | 5 | 4 | 60.1 |
| | 600X1200 | 660X1260 | 640 | 772 | 1240 | 1372 | | | 75.5 |
| | 600X1400 | 660X1460 | | | 1440 | 1572 | | 6 | 85 |
| | 650X1550 | 710X1610 | 690 | 822 | 1590 | 1722 | | | 99 |
| | 650X1650 | 710X1710 | | | 1690 | 1822 | | | 103 |
| | 800X1650 | 860X1710 | 840 | 972 | | | | 8 | 126 |

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| MB | 500X1000 | 560X1060 | 536 | 672 | 1036 | 1172 | 3 | 4 | 46 | |
| MB MC | 600X1200 | 660X1260 | 636 | 772 | 1236 | 1372 | | 6 | 55.9 | 56.5 |
| | 600X1400 | 660X1460 | | | 1436 | 1572 | | | 65.5 | 66.1 |
| | 650X1550 | 710X1610 | 686 | 822 | 1586 | 1722 | | | 74 | 75.2 |
| | 650X1650 | 710X1710 | | | 1686 | 1822 | | | 76 | 77.2 |
| | 800X1650 | 860X1710 | 836 | 972 | | | | | 93.6 | 94.9 |
| MD ME | 600X1400 | 660X1460 | 636 | 772 | 1436 | 1572 | | 2 | 67.3 | 68 |
| | 650X1550 | 710X1610 | 686 | 822 | 1586 | 1722 | | | 76.4 | 77.6 |
| | 650X1650 | 710X1710 | | | 1686 | 1822 | | | 78.6 | 79.8 |
| | 800X1650 | 860X1710 | 836 | 836 | | | | | 96.3 | 97.5 |
| BA BB | 500X1000 | 560X1060 | 536 | 672 | 1036 | 1172 | | 2 | 42.3 | |
| | 600X1200 | 660X1260 | 636 | 772 | 1236 | 1372 | | | 52.3 | 52.9 |
| | 600X1400 | 660X1460 | | | 1436 | 1572 | | | 56.8 | 57.4 |
| | 650X1550 | 710X1610 | 686 | 822 | 1586 | 1722 | | 1 | 68.7 | 70 |
| | 650X1650 | 710X1710 | | | 1686 | 1822 | | | 70.8 | 72 |
| | 800X1650 | 860X1710 | 836 | 922 | | | | | 84.3 | 85.5 |
| BC | 650X1650 | 710X1710 | 684 | 820 | 1684 | 1820 | | 2 | 74.2 | |
| | 800X1650 | 860X1710 | 934 | 920 | | | | | 89 | |
| FA FB | 500X1000 | 560X1060 | 536 | 668 | 1036 | 1168 | | — | 30.1 | — |
| | 600X1200 | 660X1260 | 636 | 768 | 1236 | 1368 | | | 39.2 | 52.9 |
| | 600X1400 | 660X1460 | | | 1436 | 1568 | | | 42.2 | 57.4 |
| | 650X1550 | 710X1610 | 686 | 818 | 1586 | 1718 | | | 49.4 | 70 |
| | 650X1650 | 710X1710 | | | 1686 | 1818 | | | 50.8 | 72 |
| | 800X1650 | 860X1710 | 836 | 968 | | | | | 62.4 | 85.5 |