

MARINE COMMUNICATION EQUIPMENT

NAN-1000 ATON

FEATURES: Full COMPACT Design. No outside GPS or VHF antenna. Very low power consumption. Conforms to the international standards such as IALA A-126, IEC 62320-2, ITU-R M.1371-5 and IEC60945. Speification:

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Marine Communication Equipment
Standard	EN
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

Category	Marine Communication Equipment	Model / SKU	NAN-1000-ATON
Standard	EN	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS

■ FEATURES:

■ Speification:

FEATURES:

Full COMPACT Design.
No outside GPS or VHF antenna.
Very low power consumption.
Conforms to the international standards such as IALA A-126, IEC 62320-2, ITU-R M.1371-5 and IEC60945.

Speification:

Frequency Range:	156.025 ~ 162.025MHz
Default Channels:	CH2087 (161.975MHz), CH2088 (162.025MHz)
Communication Mode:	FATDMA
Receiver number:	0
TX Channels:	2
Message Type:	MSG 6、MSG 21 (default)
Transmission Interval:	3 ~ 255 minutes (to be configured)
Power Consumption:	25 ~ 40mA (12V)
Interface:	RS232 port NMEA 0183
Slot Used:	One single slot
Working Temperature:	-20°C~+70°C
Power Supply:	Nominal DC 12V