

MARINE TOOLS

Non-sparking 1/2 inch Sockets

Non-sparking 1/2" Sockets : Uses: In flammable and explosive places, used in places with special positions and narrow spaces, used in spaces where adjustable wrenches and open wrenches cannot be used, used fo...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

|               |                                                                                   |
|---------------|-----------------------------------------------------------------------------------|
| Category      | Marine Tools                                                                      |
| Standard      | EN                                                                                |
| Material      | Beryllium bronze alloy,<br>Aluminum Copper alloy                                  |
| Weight / Size | Socket 1/2 inch Weight (g) S<br>mm L mm Aluminum Bronze<br>Beryllium Copper 6 ... |
| Certificate   | ABS, LR, BV, DNVGL, NK, KR,<br>IRS, RMRS, CCS                                     |


We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

| Technical Specifications |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |             |                                               |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-----------------------------------------------|
| Category                 | Marine Tools                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Model / SKU | Non-sparking-1-2-inch-Sockets                 |
| Standard                 | EN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Material    | Beryllium bronze alloy, Aluminum Copper alloy |
| Weight / Size            | Socket 1/2 inch Weight (g) S mm L mm Aluminum Bronze Beryllium Copper 6 40 69 75 7 40 70 77 8 40 70 77 9 40 71 78 10 40 71 78 11 40 72 79 12 40 72 79 13 40 73 80 14 40 73 80 15 40 85 94 16 40 85 94 17 40 85 94 18 42 85 94 19 42 100 110 20 42 105 120 21 43 110 125 22 43 115 130 23 43 135 150 24 43 145 165 25 43 160 180 26 43 180 200 27 46 190 215 28 46 200 225 29 46 210 235 30 46 220 250 32 46 260 295 Socket 1/2 inch Weight (g) S inch L mm Aluminum Bronze Beryllium Copper 5/16 40 70 70 3/8 40 71 78 7/16 40 72 79 1/2 40 73 80 9/16 40 73 80 5/8 40 80 88 11/16 40 85 93 3/4 42 100 110 13/16 43 110 125 7/8 43 115 130 15/16 43 145 165 1 43 170 190 1-1/16 46 190 215 1-1/4 46 260 295 1-7/16 50 300 330 | Certificate | ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS    |
| Warranty                 | 12 Months unless specified otherwise                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Origin      | China                                         |

Non-sparking 1/2" Sockets :

Uses: In flammable and explosive places, used in places with special positions and narrow spaces, used in spaces where adjustable wrenches and open wrenches cannot be used, used for fastening or removing hexagon bolts and nuts.

Material : Beryllium bronze alloy, Aluminum Copper alloy.



|                 |      |                 |                  |
|-----------------|------|-----------------|------------------|
| Socket 1/2 inch |      | Weight (g)      |                  |
| S mm            | L mm | Aluminum Bronze | Beryllium Copper |

|    |    |     |     |
|----|----|-----|-----|
| 6  | 40 | 69  | 75  |
| 7  | 40 | 70  | 77  |
| 8  | 40 | 70  | 77  |
| 9  | 40 | 71  | 78  |
| 10 | 40 | 71  | 78  |
| 11 | 40 | 72  | 79  |
| 12 | 40 | 72  | 79  |
| 13 | 40 | 73  | 80  |
| 14 | 40 | 73  | 80  |
| 15 | 40 | 85  | 94  |
| 16 | 40 | 85  | 94  |
| 17 | 40 | 85  | 94  |
| 18 | 42 | 85  | 94  |
| 19 | 42 | 100 | 110 |
| 20 | 42 | 105 | 120 |
| 21 | 43 | 110 | 125 |
| 22 | 43 | 115 | 130 |
| 23 | 43 | 135 | 150 |
| 24 | 43 | 145 | 165 |
| 25 | 43 | 160 | 180 |
| 26 | 43 | 180 | 200 |
| 27 | 46 | 190 | 215 |
| 28 | 46 | 200 | 225 |
| 29 | 46 | 210 | 235 |
| 30 | 46 | 220 | 250 |
| 32 | 46 | 260 | 295 |

| Socket 1/2 inch |         | Weight (g)      |                  |
|-----------------|---------|-----------------|------------------|
| S<br>inch       | L<br>mm | Aluminum Bronze | Beryllium Copper |
| 5/16            | 40      | 70              | 70               |
| 3/8             | 40      | 71              | 78               |
| 7/16            | 40      | 72              | 79               |

|        |    |     |     |
|--------|----|-----|-----|
| 1/2    | 40 | 73  | 80  |
| 9/16   | 40 | 73  | 80  |
| 5/8    | 40 | 80  | 88  |
| 11/16  | 40 | 85  | 93  |
| 3/4    | 42 | 100 | 110 |
| 13/16  | 43 | 110 | 125 |
| 7/8    | 43 | 115 | 130 |
| 15/16  | 43 | 145 | 165 |
| 1      | 43 | 170 | 190 |
| 1-1/16 | 46 | 190 | 215 |
| 1-1/4  | 46 | 260 | 295 |
| 1-7/16 | 50 | 300 | 330 |