

MARINE TOOLS

Non-Sparking Pull Type Trolley For Chain Hoist

These Non-Sparking Pull Type Trolley For Chain Hoist are made of Aluminum Bronze and Beryllium Copper, it is a high quality grade beryllium copper alloy material and a standard grade aluminum-bronze allo...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights


Category	Marine Tools
Standard	These Non-Sparking Pull Type Trolley For Chain Hoist are made of Aluminu...
Material	Aluminum Bronze, Beryllium Copper
Weight / Size	Capacity T Lifting m I-Beam Width mm Weight (kg) Aluminum Bronze Berylli...
Certificate	EACC, IAF

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Marine Tools	Model / SKU	Non-Sparking-Pull-Type-Trolley-For-Chain-Hoist
Standard	These Non-Sparking Pull Type Trolley For Chain Hoist are made of Aluminum Bronze and Beryllium Copper, it is a high quality grade beryllium copper alloy material and a standard grade aluminum-bronze alloy.	Material	Aluminum Bronze, Beryllium Copper
Weight / Size	Capacity T Lifting m I-Beam Width mm Weight (kg) Aluminum Bronze Beryllium Copper 0.5 2.5 68-94 12.5 1 2.5 68-100 14.5 2 2.5 94-124 22.3 3 3 116-140 24 5 3 142-180 34 10 3 142-180 68 16 3 142-180 170 20 3 142-180 170	Certificate	EACC, IAF
Warranty	12 Months unless specified otherwise	Origin	China

China Non-Sparking Pull Type Trolley For Chain Hoist:

These Non-Sparking Pull Type Trolley For Chain Hoist are made of Aluminum Bronze and Beryllium Copper, it is a high quality grade beryllium copper alloy material and a standard grade aluminum-bronze alloy. These tools are non-magnetic and non-corrosion, very suitable used for LPG and LNG vessels, and oil-gas industry etc.



Capacity T	Lifting m	I-Beam Width mm	Weight (kg)	
			Aluminum Bronze	Beryllium Copper
0.5	2.5	68-94	12.5	
1	2.5	68-100	14.5	
2	2.5	94-124	22.3	
3	3	116-140	24	
5	3	142-180	34	
10	3	142-180	68	
16	3	142-180	170	

20	3	142-180	170
----	---	---------	-----