

CHAIN SLING

One Leg Chocker Chain Sling

Model Diamerter of the chain ( mm ) WLL ( t ) Master link &nbsp;Weight/m ( kg/m )  
&nbsp;Chain weight ( kg ) ...

ISO9001 Supplier

Class Certificate

Export Supply




Key Highlights

|               |                                                                                 |
|---------------|---------------------------------------------------------------------------------|
| Category      | Chain Sling                                                                     |
| Material      | High Quality Alloy Steel                                                        |
| Weight / Size | Model Diamerter of the chain ( mm ) WLL ( t ) Master link Weight/m ( kg/m ) ... |
| Certificate   | CCS                                                                             |

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

| Technical Specifications |                          |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|--------------------------|--------------------------|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Category                 | Chain Sling              | Model / SKU   | One-Leg-Chocker-Chain-Sling                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Material                 | High Quality Alloy Steel | Weight / Size | Model Diameter of the chain ( mm ) WLL ( t ) Master link Weight/m ( kg/m ) Chain weight ( kg ) $\alpha \leq 45^\circ$ $45^\circ < \alpha \leq 45^\circ$ A×B×d ( mm ) YHLS1-6 6 1.12 0.8 65×130×16 1.5 0.79 YHLS1-8 8 1.68 1.2 65×130×16 2.25 1.38 YHLS1-10 10 2.8 2 80×150×20 3.98 2.2 YHLS1-12 12 3.92 2.8 90×160×24 5.98 3.1 YHLS1-14 14 5.6 4 100×190×28 8.75 4.13 YHLS1-16 16 6.72 4.8 100×190×28 11.13 5.63 YHLS1-18 18 8.96 6.4 110×200×32 14.37 6.85 YHLS1-20 20 11.2 8 120×230×34 18.34 8.6 YHLS1-22 22 13.44 9.6 135×250×38 23.46 10.2 YHLS1-24 24 15.68 11.2 135×250×38 28.28 12.78 YHLS1-26 26 19.04 13.6 140×270×42 35.39 14.87 YHLS1-30 30 24.64 17.6 160×310×46 45.08 19.6 YHLS1-34 34 40.66 29.2 210×410×62 67.88 22.7 |
| Certificate              | CCS                      | Warranty      | 12 Months unless specified otherwise                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Origin                   | China                    |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

China One Leg Chocker Chain Sling:



| Model    | Diameter of the chain<br>( mm ) | WLL<br>( t )           |                                   | Master link  | Weight/m<br>( kg/m ) | Chain weight<br>( kg ) |
|----------|---------------------------------|------------------------|-----------------------------------|--------------|----------------------|------------------------|
|          |                                 | $\alpha \leq 45^\circ$ | $45^\circ < \alpha \leq 45^\circ$ | A×B×d ( mm ) |                      |                        |
| YHLS1-6  | 6                               | 1.12                   | 0.8                               | 65×130×16    | 1.5                  | 0.79                   |
| YHLS1-8  | 8                               | 1.68                   | 1.2                               | 65×130×16    | 2.25                 | 1.38                   |
| YHLS1-10 | 10                              | 2.8                    | 2                                 | 80×150×20    | 3.98                 | 2.2                    |
| YHLS1-12 | 12                              | 3.92                   | 2.8                               | 90×160×24    | 5.98                 | 3.1                    |
| YHLS1-14 | 14                              | 5.6                    | 4                                 | 100×190×28   | 8.75                 | 4.13                   |
| YHLS1-16 | 16                              | 6.72                   | 4.8                               | 100×190×28   | 11.13                | 5.63                   |
| YHLS1-18 | 18                              | 8.96                   | 6.4                               | 110×200×32   | 14.37                | 6.85                   |
| YHLS1-20 | 20                              | 11.2                   | 8                                 | 120×230×34   | 18.34                | 8.6                    |
| YHLS1-22 | 22                              | 13.44                  | 9.6                               | 135×250×38   | 23.46                | 10.2                   |
| YHLS1-24 | 24                              | 15.68                  | 11.2                              | 135×250×38   | 28.28                | 12.78                  |
| YHLS1-26 | 26                              | 19.04                  | 13.6                              | 140×270×42   | 35.39                | 14.87                  |
| YHLS1-30 | 30                              | 24.64                  | 17.6                              | 160×310×46   | 45.08                | 19.6                   |
| YHLS1-34 | 34                              | 40.66                  | 29.2                              | 210×410×62   | 67.88                | 22.7                   |