

MARINE KITCHEN GALLEY

QHZ50-2 Marine Fuel Oil Vaporization Stove

ISO9001 Supplier

Class Certificate

Export Supply

QHZ50-2 Marine Fuel Oil Vaporization Stove 1. All stainless steel structure 2. Adopt safe electronic igniter for easy operation 3. The body has a pressure tank 4. Set up handrails for wave protection 5. The bas...



Key Highlights

Category	Marine Kitchen Galley
Material	SS
Weight / Size	The base form is suitable for installation and fixing on ships QHZ50-2 M...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Marine Kitchen Galley	Model / SKU	QHZ50-2-Marine-Fuel-Oil-Vaporization-Stove
Material	SS	Weight / Size	The base form is suitable for installation and fixing on ships QHZ50-2 Marine Fuel Oil Vaporization Stove Parameters Model QHZ50-2 QH100-2 QHZ200-2 Fuel Consumption 2.5-2.8kh/h 2.5-2.8kg/h 4-4.6kg/h Voltage 220v-1PH-50Hz Power(kw) 0.3 0.3 0.3 Size(mm) 1245x645x850 1650x850x850 1840x940x850 Weight(kg) 100 130 150 QHZ50-2 Marine Fuel Oil Vaporization Stove Drawing
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

CONTENTS	QHZ50-2 Marine Fuel Oil Vaporization Stove QHZ50-2 Marine Fuel Oil Vaporization Stove Parameters QHZ50-2 Marine Fuel Oil Vaporization Stove Drawing	
----------	---	--

QHZ50-2 Marine Fuel Oil Vaporization Stove

1. All stainless steel structure
2. Adopt safe electronic igniter for easy operation
3. The body has a pressure tank
4. Set up handrails for wave protection
5. The base form is suitable for installation and fixing on ships

QHZ50-2 Marine Fuel Oil Vaporization Stove Parameters

Model	QHZ50-2	QH100-2	QHZ200-2
Fuel Consumption	2.5-2.8kh/h	2.5-2.8kg/h	4-4.6kg/h
Voltage	220v-1PH-50Hz		
Power(kw)	0.3	0.3	0.3
Size(mm)	1245x645x850	1650x850x850	1840x940x850
Weight(kg)	100	130	150

QHZ50-2 Marine Fuel Oil Vaporization Stove Drawing

