

LIFEBOAT AND RESCUE BOAT ACCESSORIES

QJ1824-30A and QJ1824-40A Marine DC regulated power supply

ISO9001 Supplier

Class Certificate

Export Supply

QJ1824-30A and QJ1824-40A Marine DC regulated power supply Model Input Output Output
Ripple Dimensions ...



Key Highlights

Category	Lifeboat And Rescue Boat Accessories
Standard	EN
Weight / Size	QJ1824-30A and QJ1824-40A Marine DC regulated power supply Model Input O...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Lifeboat And Rescue Boat Accessories	Model / SKU	QJ1824-30A-and-QJ1824-40A-Marine-DC-regulated-power-supply
Standard	EN	Weight / Size	QJ1824-30A and QJ1824-40A Marine DC regulated power supply Model Input Output Output Ripple Dimensions Weight voltage voltage Noise (WxHxD) (Kg) QJ1824-20A AC110/220V DC24V 20A ≤25mV 235x150x420mm 14.8kg DC24V QJ1824-30A AC110/220V DC24V 30A ≤25mV 235x150x420mm 14.8kg DC24V QJ1824-40A AC110/220V DC24V 40A ≤25mV 235x150x420mm 14.8kg DC24V QJ1820 AC110/220V DC12V 20A ≤25mV 235x150x420mm 14.8kg DC12V QJ1830 AC110/220V DC12V 30A ≤25mV 235x150x420mm 14.8kg DC12V QJ1840 AC110/220V DC12V 40A ≤25mV 235x150x420mm 14.8kg DC12V
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

QJ1824-30A and QJ1824-40A Marine DC regulated power supply

Model	Input	Output	Output	Ripple	Dimensions	Weight
	voltage	voltage		Noise		
QJ1824-20A	AC110/220V	DC24V	20A	≤25mV	235x150x420mm	14.8kg
	DC24V					
QJ1824-30A	AC110/220V	DC24V	30A	≤25mV	235x150x420mm	14.8kg
	DC24V					
QJ1824-40A	AC110/220V	DC24V	40A	≤25mV	235x150x420mm	14.8kg
	DC24V					
QJ1820	AC110/220V	DC12V	20A	≤25mV	235x150x420mm	14.8kg
	DC12V					

QJ1830	AC110/220V	DC12V	30A	≤25mV	235x150x420mm	14.8kg
	DC12V					
QJ1840	AC110/220V	DC12V	40A	≤25mV	235x150x420mm	14.8kg
	DC12V					