

STUD LINK MOORING CHAIN

R4 Offshore Stud Link Mooring Chain

R4 Offshore Stud Link Mooring Chain can be used in extreme environment in the oil or gas offshore platform, the maximum diameter is up to 162mm, the proof load is up to 17596KN.
Main Specification: Siz...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Stud Link Mooring Chain
Standard	EN
Material	Rolled Steel Bars
Weight / Size	Size:
Certificate	ABS, LR, BV, GL, RINA, DNV, NK, KR, CCS
We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.	


Technical Specifications

Category	Stud Link Mooring Chain	Model / SKU	R4-Offshore-Stud-Link-Mooring-Chain
Standard	EN	Material	Rolled Steel Bars
Weight / Size	Size:	Surface	Painted
Certificate	ABS, LR, BV, GL, RINA, DNV, NK, KR, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

CONTENTS

- China R4 Offshore Stud Link Mooring Chain:
- Main Specification:
- Proof Load and Breaking Load for R4 offshore Stud Link Mooring Chain

China R4 Offshore Stud Link Mooring Chain:



R4 Offshore Stud Link Mooring Chain can be used in extreme environment in the oil or gas offshore platform, the maximum diameter is up to 162mm, the proof load is up to 17596KN.

Main Specification:

Size: 34mm-162mm

Grade: R4

Finish: Black Painted.

Certificate: ABS, LR, BV, GL, RINA, DNV, NK, KR, CCS

Proof Load and Breaking Load for R4 offshore Stud Link Mooring Chain

Chain Diameter	R4		Weight
	Proof Load	Breaking Load	KG/M
34	1031	1308	25
36	1152	1461	28
38	1278	1621	32
40	1411	1789	35
42	1549	1965	39

44	1693	2148	42
46	1843	2338	46
48	1999	2536	50
50	2160	2740	55
52	2327	2952	59
54	2500	3171	64
56	2677	3396	69
58	2860	3628	74
60	3049	3867	79
62	3242	4112	84
64	3440	4364	90
66	3644	4622	95
68	3852	4886	101
70	4065	5156	107
73	4393	5572	117
76	4731	6002	126
78	4963	6295	133
81	5318	6746	144
84	5682	7208	155
87	6056	7682	166
90	6439	8168	177
92	6699	8498	185
95	7096	9002	198
97	7366	9343	206
100	7776	9864	219
102	8055	10217	228
105	8478	10755	241
107	8765	11118	251
111	9347	11857	270
114	9792	12421	285
117	10243	12993	300
120	10700	13573	315
122	11008	13964	326

124	11319	14358	337
127	11790	14956	353
130	12266	15559	370
132	12586	15965	382
137	13395	16992	411
142	14217	18034	442
147	15049	19089	473
152	15890	20157	506
157	16740	21235	540
162	17596	22321	575