

GRAB BUCKETS

Radio Remote Control Grab Bucket

Radio Remote Control Grab BucketWorking Principle Radio remote control grab is a of research and development for a single hook crane, in port, bulk carriers and other work occasions in the slag, coal, sand an...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Grab Buckets
Standard	DIN
Material	Radio Remote Control Grab Bucket Working Principle Radio remote control ...
Weight / Size	Radio Remote Control Grab Bucket Technical Specifications Model Volume G...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Grab Buckets	Model / SKU	Radio-Remote-Control-Grab-Bucket
Standard	DIN	Material	Radio Remote Control Grab Bucket Working Principle Radio remote control grab is a of research and development for a single hook crane, in port, bulk carriers and other work occasions in the slag, coal, sand and other granular materials in bulk and small block ideal tool.
Weight / Size	Radio Remote Control Grab Bucket Technical Specifications Model Volume Grab self-weight Pulley Dia Steel rope Dia Rated lifting weight(t) YK10[5]5 5 5 445 24 10 YK10[7]8.5 7 6.5 520 28 14 YK16[8]7.5 8 7.5 520 28 16 YK20[10]9 10 9 560 32 20 YK25[13]10 13 10 650 36 25 YK28[16]11 16 11 650 36 28 YK35[20]15 20 15 720 40 35 YK40[24]17 24 17 880 45 40 Radio Remote Control Grab Bucket Exhibition	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS	■ Radio Remote Control Grab Bucket Working Principle	■ Radio Remote Control Grab Bucket Technical Specifications
	■ Radio Remote Control Grab Bucket Exhibition	

Radio Remote Control Grab Bucket Working Principle

Radio remote control grab is a of research and development for a single hook crane, in port, bulk carriers and other work occasions in the slag, coal, sand and other granular materials in bulk and small block ideal tool. Its structure is reasonable, opening and closing mechanism is novel. On the basis of the single-rope grab structure, using the wireless remote controlled grab automatic open in the air, the full realization of single-rope grab in the air unloading. Application easy to operate, reliable and stable operation.

Radio Remote Control Grab Bucket Technical Specifications

Model	Volume	Grab self-weight	Pulley Dia	Steel rope Dia	Rated lifting weight(t)
YK10[5]5	5	5	445	24	10

YK10[7]8.5	7	6.5	520	28	14
YK16[8]7.5	8	7.5	520	28	16
YK20[10]9	10	9	560	32	20
YK25[13]10	13	10	650	36	25
YK28[16]11	16	11	650	36	28
YK35[20]15	20	15	720	40	35
YK40[24]17	24	17	880	45	40

Radio Remote Control Grab Bucket Exhibition



