

CHAIN SLING


RB Round Sling

Description RB round sling is a jacketed RA round sling. It is of strong wear resistance. Both ends of the sling are fitted with fixed lifting bushing. Technical Data Prod...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Chain Sling
Standard	EN
Weight / Size	Technical Data Products code Working load limit (kg) Approximate thickne...
Certificate	CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.


Technical Specifications			
Category	Chain Sling	Model / SKU	RB-Round-Sling
Standard	EN	Weight / Size	Technical Data Products code Working load limit (kg) Approximate thickness (mm) Approximate width (mm) Min length (m) Max length(m) RB1/2 500 11 60 0.5 RB001 1000 14 60 0.5 RB002 2000 20 70 0.5 RB003 3000 25 85 0.5 RB004 4000 27 85 0.5 RB005 5000 29 120 0.5 RB006 6000 29 120 1 RB008 8000 29 140 1 RB010 10000 30 140 2 RB012 12000 31 140 2 RB015 15000 32 140 2 RB020 20000 33 175 2.5 RB025 25000 34 185 2.5 To be customized RB030 30000 68 205 2.5 RB040 40000 75 250 2.5 RB050 50000 86 260 2.5 RB060 60000 126 270 4 RB080 80000 138 335 4 RB100 100000 152 430 4 RB200 200000 230 540 5 RB300 300000 300 650 5 RB400 400000 370 800 5 RB500 500000 400 875 8 RB600 600000 450 960 8 RB700 700000 490 1050 8 RB800 800000 510 1100 8 RB900 900000 570 1190 9 RB1000 1000000 600 1240 9
Certificate	CCS	Warranty	12 Months unless specified otherwise
Origin	China		

CONTENTS	Description Technical Data
----------	---

Description

RB round sling is a jacketed RA round sling. It is of strong wear resistance. Both ends of the sling are fitted with fixed lifting bushing.

Technical Data



Products code	Working load limit (kg)	Approximate thickness (mm)	Approximatewidth (mm)	Min length (m)	Max length(m)
RB1/2	500	11	60	0.5	
RB001	1000	14	60	0.5	
RB002	2000	20	70	0.5	
RB003	3000	25	85	0.5	
RB004	4000	27	85	0.5	
RB005	5000	29	120	0.5	
RB006	6000	29	120	1	
RB008	8000	29	140	1	
RB010	10000	30	140	2	
RB012	12000	31	140	2	
RB015	15000	32	140	2	
RB020	20000	33	175	2.5	
RB025	25000	34	185	2.5	To be customized
RB030	30000	68	205	2.5	
RB040	40000	75	250	2.5	
RB050	50000	86	260	2.5	
RB060	60000	126	270	4	
RB080	80000	138	335	4	
RB100	100000	152	430	4	
RB200	200000	230	540	5	
RB300	300000	300	650	5	
RB400	400000	370	800	5	
RB500	500000	400	875	8	
RB600	600000	450	960	8	
RB700	700000	490	1050	8	
RB800	800000	510	1100	8	
RB900	900000	570	1190	9	
RB1000	1000000	600	1240	9	