

MARINE KITCHEN GALLEY

RC1865 Marine Electric Heating Table

RC1865 Marine Electric Heating Table 1. All stainless steel structure 2. Wet or dry heat preservation form can be selected as required 3. The heat preservation temperature is controlled by a thermostat, the tempe...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Marine Kitchen Galley
Standard	EN
Material	SS
Weight / Size	There are stainless steel food serving plates with lids of various sizes...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

Category	Marine Kitchen Galley	Model / SKU	RC1865-Marine-Electric-Heating-Table
Standard	EN	Material	SS
Weight / Size	There are stainless steel food serving plates with lids of various sizes and specifications matched with the equipment to choose from There is a storage cabinet under it for easy storage of tableware 6.	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China


CONTENTS

- RC1865 Marine Electric Heating Table
- RC1865 Marine Electric Heating Table Parameters
- RC1865 Marine Electric Heating Table Drawing

RC1865 Marine Electric Heating Table

- 1. All stainless steel structure
- 2. Wet or dry heat preservation form can be selected as required
- 3. The heat preservation temperature is controlled by a thermostat, the temperature adjustment range is 30 to 110 degrees, and the temperature is set to maintain a constant temperature
- 4. With anti-dry burning device, safer to use
- 5. There are stainless steel food serving plates with lids of various sizes and specifications matched with the equipment to choose from
- There is a storage cabinet under it for easy storage of tableware
- 6. Equipped with stainless steel adjustable feet for easy installation on board

RC1865 Marine Electric Heating Table Drawing



RC1865 Marine Electric Heating Table Parameters

Model	RC1565	RC1865	RC2065
Volume(L)	4X1/1		
Voltage	220V-1PH-50Hz 380/415V-3PH-50Hz		
Power(kw)	2	2	2
Size(mm)	1500X650X850	1800X650X850	2000X650X850
Weight(kg)	80	100	120

