

SHACKLE


SA Type JIS B2801 Straight Shackle

Technical Specification Nominal Size t d B D d1 L Weight(kg) ...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Shackle
Standard	JIS
Weight / Size	Technical Specification Nominal Size t d B D d1 L Weight(kg) 34 34 39 50...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Shackle	Model / SKU	SA-Type-JIS-B2801-Straight-Shackle
Standard	JIS	Weight / Size	Technical Specification Nominal Size t d B D d1 L Weight(kg) 34 34 39 50 85 41 136 6.49 36 36 42 54 90 43 144 7.99 38 38 44 57 95 47 152 9.22 40 40 47 60 100 49 160 10.08 42 42 49 63 105 53 168 12.17 44 44 51 66 110 56 176 13.9 46 46 53 68 115 58 184 15.8 48 48 55 72 120 60 192 17.75 50 50 57 75 125 62 200 19.35 55 55 62 83 138 67 220 24.6 60 60 69 90 150 72 240 36.46 65 65 75 98 164 79 260 44.8 113.1 Unit:
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

Technical Specification

Nominal Size	t	d	B	D	d1	L	Weight(kg)
34	34	39	50	85	41	136	6.49
36	36	42	54	90	43	144	7.99
38	38	44	57	95	47	152	9.22
40	40	47	60	100	49	160	10.08
42	42	49	63	105	53	168	12.17
44	44	51	66	110	56	176	13.9
46	46	53	68	115	58	184	15.8
48	48	55	72	120	60	192	17.75
50	50	57	75	125	62	200	19.35
55	55	62	83	138	67	220	24.6
60	60	69	90	150	72	240	36.46
65	65	75	98	164	79	260	44.8

70	70	81	105	178	85	280	53.32
75	75	87	112	192	92	300	57.51
80	80	93	120	206	98	320	81.69
85	85	99	128	220	104	340	97.42
90	90	104	135	232	110	360	113.1

Unit: mm