

SHACKLE


SC Type JIS B2801 Straight Shackle

SB Type JIS B2801 Straight Shackle Nominal Size t d B D d1 L We...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Shackle
Standard	JIS
Weight / Size	SB Type JIS B2801 Straight Shackle Nominal Size t d B D d1 L Weight(kg) ...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Shackle	Model / SKU	SC-Type-JIS-B2801-Straight-Shackle
Standard	JIS	Weight / Size	SB Type JIS B2801 Straight Shackle Nominal Size t d B D d1 L Weight(kg) 6 6 8 11 17 9 24 1.04 8 8 10 14 21 11 32 0.09 10 10 12 17 25 13 40 0.15 12 12 14 20 32 16 48 0.31 14 14 16 24 36 18 56 0.49 16 16 18 26 40 20 64 0.74 18 21 29 45 22 72 1.13 20 20 23 31 50 25 80 1.55 22 22 26 34 55 27 88 1.7 24 24 28 39 62 31 96 1.87 26 26 30 41 66 33 104 2.55 28 32 43 70 35 112 3.52 30 30 34 45 75 37 120 4.26 32 32 37 48 80 39 128 5.57 34 34 39 50 85 41 136 6.66 36 36 42 54 90 43 144 7.82 38 38 44 57 95 47 152 9.98 40 40 47 60 100 49 160 10.15 JIS Shackle Working Load Limit, Proof Force
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

CONTENTS	■ SB Type JIS B2801 Straight Shackle	■ JIS Shackle Working Load Limit, Proof Force
----------	--------------------------------------	---

SB Type JIS B2801 Straight Shackle

Nominal Size	t	d	B	D	d1	L	Weight(kg)
6	6	8	11	17	9	24	1.04
8	8	10	14	21	11	32	0.09
10	10	12	17	25	13	40	0.15
12	12	14	20	32	16	48	0.31
14	14	16	24	36	18	56	0.49
16	16	18	26	40	20	64	0.74
18	18	21	29	45	22	72	1.13
20	20	23	31	50	25	80	1.55
22	22	26	34	55	27	88	1.7

24	24	28	39	62	31	96	1.87
26	26	30	41	66	33	104	2.55
28	28	32	43	70	35	112	3.52
30	30	34	45	75	37	120	4.26
32	32	37	48	80	39	128	5.57
34	34	39	50	85	41	136	6.66
36	36	42	54	90	43	144	7.82
38	38	44	57	95	47	152	9.98
40	40	47	60	100	49	160	10.15

JIS Shackle Working Load Limit, Proof Force

