

STEEL PIPE

Schedule 80 Carbon Steel Pipe

Product Description: Our seamless&nbsp;steel pipes are in accordance with a wide range of standards,like ASME B16.9,ISO,API,EN,DIN BS,JIS,and GB,etc. Size:1/2" - 24" seamless steel pipe Outer Diameter:...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

|               |                                                                             |
|---------------|-----------------------------------------------------------------------------|
| Category      | Steel Pipe                                                                  |
| Standard      | JIS                                                                         |
| Material      | Carbon steel,A53B,A106B,API 5L B,X42,X46,X52,X60,X65,ect                    |
| Weight / Size | Size:1/2" - 24" seamless steel pipe Outer Diameter:21.3 - 609.6 mm Thick... |
| Certificate   | ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS                                  |

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

|               |                                                                                                                                                                                                                                          |             |                                                          |
|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|----------------------------------------------------------|
| Category      | Steel Pipe                                                                                                                                                                                                                               | Model / SKU | Schedule-80-Carbon-Steel-Pipe                            |
| Standard      | JIS                                                                                                                                                                                                                                      | Material    | Carbon steel,A53B,A106B,API 5L B,X42,X46,X52,X60,X65,ect |
| Weight / Size | Size:1/2" - 24" seamless steel pipe Outer Diameter:21.3 - 609.6 mm Thickness:3.73 - 30.96 mm,Schedule 80 Material:Carbon steel,A53B,A106B,API 5L B,X42,X46,X52,X60,X65,ect Technique:Cold Drawn,Hot Rolled,Hot Expand ect Specification: | Certificate | ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS               |
| Warranty      | 12 Months unless specified otherwise                                                                                                                                                                                                     | Origin      | China                                                    |

## Product Description:

Our seamless steel pipes are in accordance with a wide range of standards, like ASME B16.9, ISO, API, EN, DIN, BS, JIS, and GB, etc.

Size: 1/2" - 24" seamless steel pipe

Outer Diameter: 21.3 - 609.6 mm

Thickness: 3.73 - 30.96 mm, Schedule 80

Material: Carbon steel, A53B, A106B, API 5L B, X42, X46, X52, X60, X65, etc

Technique: Cold Drawn, Hot Rolled, Hot Expand etc

## Specification:

| Nominal diameter |       | Outer diameter<br>mm | Wall thickness and theoretical weight |        |
|------------------|-------|----------------------|---------------------------------------|--------|
|                  |       |                      | SCH80                                 |        |
| DN               | in    |                      | mm                                    | m/kg   |
| 10               | 1/8   | 17                   | 3.5                                   | 1.17   |
| 15               | 1/2   | 21.3                 | 3.6                                   | 1.57   |
| 20               | 3/4   | 26.9                 | 4.0                                   | 2.26   |
| 25               | 1     | 33.7                 | 4.5                                   | 3.24   |
| 32               | 1 1/4 | 42.4                 | 5.0                                   | 4.61   |
| 40               | 1 1/2 | 48.3                 | 5.0                                   | 5.34   |
| 50               | 2     | 60.3                 | 5.6                                   | 7.55   |
| 65               | 2 1/2 | 76.1                 | 7.1                                   | 12.08  |
| 80               | 3     | 88.9                 | 8.0                                   | 15.96  |
| 100              | 4     | 114.3                | 8.8                                   | 22.89  |
| 125              | 5     | 139.7                | 10.0                                  | 31.98  |
| 150              | 6     | 168.3                | 11.0                                  | 42.67  |
| 200              | 8     | 219.1                | 12.5                                  | 63.68  |
| 250              | 10    | 273                  | 16.0                                  | 101.40 |
| 300              | 12    | 323.9                | 17.5                                  | 132.23 |
| 350              | 14    | 355.6                | 20.0                                  | 165.52 |
| 400              | 16    | 406.4                | 22.2                                  | 210.33 |
| 450              | 18    | 457                  | 24.0                                  | 256.27 |
| 500              | 20    | 508                  | 26.0                                  | 309.04 |

|     |    |     |      |        |
|-----|----|-----|------|--------|
| 550 | 22 | 559 | 28.0 | 366.64 |
| 600 | 24 | 610 | 32.0 | 456.11 |