

IEC 60092 STANDARD CABLE (KOREA TYPE)


ISO9001 Supplier

Class Certificate

Export Supply

SICI/SIOI Fire Resistant Ship Power & Control Cable 0.6/1KV(Armoured)

SICI/SIOI Cable is with the feature of Fire-resistance, Mica Tape is in the first layer after conductor. We are the biggest Marine Cable supplier in China, Cheap Price and Fast Delivery.



Key Highlights

Category	IEC 60092 Standard Cable (Korea Type)
Standard	EN
Material	Tinned Copper/XLPE insulation/SHF1 sheath/Galvanized Steel Wire Braided/...
Certificate	ABS, LR, BV, GL, RINA, DNV, NK, KR, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.


Technical Specifications

Category	IEC 60092 Standard Cable (Korea Type)	Model / SKU	SICI-SIOI-Fire-Resistant-Ship-Power-Control-Cable-0-6-1KV-Armoured
Standard	EN	Material	Tinned Copper/XLPE insulation/SHF1 sheath/Galvanized Steel Wire Braided/SHF1
Surface	Galvanized	Certificate	ABS, LR, BV, GL, RINA, DNV, NK, KR, CCS
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS

- China SICI/SIOI Fire Resistant Ship Power & Control Cable 0.6/1KV(Armoured):
- Cable Construction
- Feature
- Technical Specification:
- Standards
- Application

China SICI/SIOI Fire Resistant Ship Power & Control Cable 0.6/1KV(Armoured):



SICI and SIOI Cable are Armoured Cable, Galvanized Steel Wire Braided and Tinned Copper Wire Braided respectively, both are Fire-resistant Marine Power & Control Cable, the voltage is 0.6/1KV.

Technical Specification:

Cable Construction

Conductor: Tinned Copper. IEC 60228 Class 2

Mica Tape

Insulation : XLPE Insulation

Inner Sheath : Halogen-free Thermoplastic Polyolefin(SHF1)

Armour : Galvanized Wire Braided/Tinned Copper Wire Braided

Outer Sheath : Halogen-free Thermoplastic Polyolefin(SHF1), Black

Standards

Design : IEC 60092-350, 353

Insulation Material : IEC 60092 -351

Sheath Material : IEC 60092-359

Flammability: IEC 60332-1 & IEC 60332-3 Category A

Fire-resistant: IEC 60331

Halogen--free: IEC60754-1, IEC60754-2

Smoke Emission: IEC 61034-1, IEC61034-2

Feature

Halogen-free, Low Smoke, Flame retardant, Fire resistant

Application

The cable is fixed installation on ships and offshore units, used for power, lighting and control.