

LIFE BOAT & RESCUE BOAT

SOLAS Fire Resistant Totally Enclosed Lifeboat

The fire resistant totally enclosed lifeboat are applied in wretched sea conditions, suitable for ocean-going freighter and liner and oil tank etc. Both free fall and total enclosed lifeboats has fire-resistant mod...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

|               |                                                                                   |
|---------------|-----------------------------------------------------------------------------------|
| Category      | Life boat & Rescue Boat                                                           |
| Standard      | EN                                                                                |
| Material      | Material:                                                                         |
| Weight / Size | Type Dimension Persons Hook<br>Distance Depth Craft weight<br>Full load Speed ... |
| Certificate   | CCS,EC                                                                            |

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

| Technical Specifications |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |             |                                                |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------------------------------------------|
| Category                 | Life boat & Rescue Boat                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Model / SKU | SOLAS-Fire-Resistant-Totally-Enclosed-Lifeboat |
| Standard                 | EN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Material    | Material:                                      |
| Weight / Size            | Type Dimension Persons Hook Distance Depth Craft weight Full load Speed JB50F/C 5*2.3*2.84m 26 4.5m 1.0m 2115/2457kg 4260/4602kg ≥6kn JB57F/C 5.8*2.32*3.1m 33 5.3m 1.15m 2284/2262kg 5006/5344 kg ≥6kn JB65F/C 6.6*2.32*3.1m 40 6.1m 1.15m 2861/3136kg 6161/6436 kg ≥6kn JB75F/C 7.6*2.78*3.1m 55 7.1m 1.2m 3250/3600kg 7787/8137 kg ≥6kn JB80F/C 8.1*2.96*3.1m 65 7.6m 1.2m 3425/3775kg 8787/9137 kg ≥6kn JB85F/C 8.6*3.3*3.3m 90 8.1m 1.25m 4377/4708kg 11802/12133 kg ≥6kn JB99F/C 10.07*3.8*3.45m 120 9.4m 1.25m 6050/6500kg 15950/16400kg ≥6kn | Certificate | CCS,EC                                         |
| Warranty                 | 12 Months unless specified otherwise                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Origin      | China                                          |

|          |                                                                                                                                                           |
|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| CONTENTS | <ul style="list-style-type: none"> <li>China SOLAS Fire Resistant Totally Enclosed Lifeboat:</li> <li>Specification:</li> <li>Available Model:</li> </ul> |
|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|

## China SOLAS Fire Resistant Totally Enclosed Lifeboat:

The fire resistant totally enclosed lifeboat are applied in wretched sea conditions, suitable for ocean-going freighter and liner and oil tank etc.

Both free fall and total enclosed lifeboats has fire-resistant model to provide higher fire resistant characteristics with the combination function of lifesaving and rescue. It has excellent reliability, maneuverability, and sea-keeping abilities.

## Specification:

1. Material: GRP
- 2.Capacity: 16-150persons
- 3.Speed: More than 6knots
- 4.Length: 5m-10m
- 8.Certificate:CCS, EC

## Available Model:

| Type    | Dimension       | Persons | Hook Distance | Depth | Craft weight | Full load      | Speed |
|---------|-----------------|---------|---------------|-------|--------------|----------------|-------|
| JB50F/C | 5*2.3*2.84m     | 26      | 4.5m          | 1.0m  | 2115/2457kg  | 4260/4602kg    | ≥6kn  |
| JB57F/C | 5.8*2.32*3.1m   | 33      | 5.3m          | 1.15m | 2284/2262kg  | 5006/5344 kg   | ≥6kn  |
| JB65F/C | 6.6*2.32*3.1m   | 40      | 6.1m          | 1.15m | 2861/3136kg  | 6161/6436 kg   | ≥6kn  |
| JB75F/C | 7.6*2.78*3.1m   | 55      | 7.1m          | 1.2m  | 3250/3600kg  | 7787/8137 kg   | ≥6kn  |
| JB80F/C | 8.1*2.96*3.1m   | 65      | 7.6m          | 1.2m  | 3425/3775kg  | 8787/9137 kg   | ≥6kn  |
| JB85F/C | 8.6*3.3*3.3m    | 90      | 8.1m          | 1.25m | 4377/4708kg  | 11802/12133 kg | ≥6kn  |
| JB99F/C | 10.07*3.8*3.45m | 120     | 9.4m          | 1.25m | 6050/6500kg  | 15950/16400kg  | ≥6kn  |