

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

MARINE CHROMONETER & CLOCK

Submarine Clock

Submarine Clock (24 hour Clock) Material: Brass Showing Surface Diameter: 150mm/170mm
Size: 208/228mm*60mm Specifications: 1. Oscillator: NDK 4.194304MHz 2. IC:5512,
Frequency ...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Marine Chronometer & Clock
Standard	DIN
Material	Brass
Weight / Size	150mm/170mm Size:
Certificate	CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

Category	Marine Chronometer & Clock	Model / SKU	Submarine-Clock
Standard	DIN	Material	Brass
Weight / Size	150mm/170mm Size:	Surface	Brass Showing Surface Diameter:
Certificate	CCS	Warranty	12 Months unless specified otherwise
Origin	China		

CONTENTS

- China Submarine Clock:

- Specifications:

China Submarine Clock:

Submarine Clock (24 hour Clock)

Material: Brass

Showing Surface Diameter: 150mm/170mm

Size: 208/228mm*60mm

Specifications:

1. Oscillator: NDK 4.194304MHz
2. IC:5512, Frequency dividing factor:223,Pulse Duration:46.875ms, Qutput Frequency: 0.5Hz
3. Transducer System: bipolar eccentric step motor, Torque on minute hand $\geq 10 \times 10^{-3}$ Nm
4. Time Keeping Accuracy: $\leq \pm 0.3$ s/d at $+20^{\circ}\text{C} \pm 1^{\circ}\text{C}$, $\leq \pm 0.5$ s/d at $0^{\circ}\text{C} \sim 40^{\circ}\text{C}$
5. Operating Temperature Range: $-10^{\circ}\text{C} \sim +50^{\circ}\text{C}$
6. BatteryLife: over one year (battery size UM+2)
7. Resistance to vibration and Impact Perfor-mance:(The clock should run normally at following conditions)
 - 1) Vibration Frequency:80Hz, Acceleration:2g
 - 2) Impact Acceleration:5g, Duration:30 minutes
8. Antimagnetic Performance: ≥ 7 oster
9. Waterproof Rating : IP22