

HOOK

Swivel Hooks S322

Similar Name Latch hook Safety hook Lifting hook Swivel hook Main Specification
Compromise of Hook and Latch Forging Technology 45# Steel Size Ta...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Hook
Standard	EN
Material	45# Steel
Weight / Size	Similar Name Latch hook Safety hook Lifting hook Swivel hook Main Specif...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement,
drawings, class certificate needs, and delivery
schedule.

Technical Specifications			
Category	Hook	Model / SKU	Swivel-Hooks-S322
Standard	EN	Material	45# Steel
Weight / Size	Similar Name Latch hook Safety hook Lifting hook Swivel hook Main Specification Compromise of Hook and Latch Forging Technology 45# Steel Size Table WLL (metric) DIMENSIONS(in) Weight (lbs) 322C 322A A B C D E L R S T O 3/4 1 2 15/16 1 1/4 2 7/8 15/16 5 9/16 4 15/32 3/8 13/16 7/8 0.75 1 1 1/2 2 1/2 1 5/16 1 1/2 3 3/16 1 1/32 6 5/8 5 9/32 1/2 13/16 31/32 1.25 1 1/2 2 3 1 5/8 1 3/4 3 5/8 1 1/16 7 5/8 6 1/64 5/8 27/32 1 2.25 2 3 3 1 9/16 1 3/4 4 3/32 1 7/32 8 1/8 6 3/8 5/8 1 3/16 1 1/8 2.57 3 Feb-41 3 1/2 1 3/4 2 4 15/16 1 1/2 9 19/32 7 13/32 3/4 1 3/8 1 11/32 4.75 5 7 4 1/2 2 5/16 2 1/2 6 1/2 1 7/8 12 13/32 9 19/32 1 1 25/32 1 11/16 10.29 7 1/2 11 5 2 3/8 2 3/4 7 9/16 2 1/4 11 1/8 11 1/8 1 1/8 2 1/8 2 1/16 16.25	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS	■ Similar Name ■ Size Table	■ Main Specification
----------	---	---------------------------------


Similar Name

- Latch hook
- Safety hook
- Lifting hook
- Swivel hook

Main Specification

- Compromise of Hook and Latch
- Forging Technology
- 45# Steel

Size Table



WLL (metric)		DIMENSIONS(in)										Weight (lbs)
322C	322A	A	B	C	D	E	L	R	S	T	O	
3/4	1	2	15/16	1 1/4	2 7/8	15/16	5 9/16	4 15/32	3/8	13/16	7/8	0.75
1	1 1/2	2 1/2	1 5/16	1 1/2	3 3/16	1 1/32	6 5/8	5 9/32	1/2	13/16	31/32	1.25
1 1/2	2	3	1 5/8	1 3/4	3 5/8	1 1/16	7 5/8	6 1/64	5/8	27/32	1	2.25
2	3	3	1 9/16	1 3/4	4 3/32	1 7/32	8 1/8	6 3/8	5/8	1 3/16	1 1/8	2.57
3	Feb-41	3 1/2	1 3/4	2	4 15/16	1 1/2	9 19/32	7 13/32	3/4	1 3/8	1 11/32	4.75
5	7	4 1/2	2 5/16	2 1/2	6 1/2	1 7/8	12 13/32	9 19/32	1	1 25/32	1 11/16	10.29
7 1/2	11	5	2 3/8	2 3/4	7 9/16	2 1/4	11 1/8	11 1/8	1 1/8	2 1/8	2 1/16	16.25