

MARINE GENERATOR

Two cylinder Air-cooled diesel generator

ISO9001 Supplier

Class Certificate

Export Supply

Two cylinder Air-cooled diesel generator Parameter Two cylinder Air-cooled Diesel generator Generator Model 8GF-LE ...



Key Highlights

Category	Marine Generator
Standard	EN
Weight / Size	Two cylinder Air-cooled diesel generator Parameter Two cylinder Air-cool...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Marine Generator	Model / SKU	Two-cylinder-Air-cooled-diesel-generator
Standard	EN	Weight / Size	Two cylinder Air-cooled diesel generator Parameter Two cylinder Air-cooled Diesel generator Generator Model 8GF-LE 10GF-LE 10GF-LDE Rated output power(KW) 8 10 10 Max.power(KW) 10 12 12 Rated frequency(Hz) 50/60 50/60 50/60 1-Phase AC voltage 110/220 110/220 110/220 DC output 12V/8.3A 12V/8.3A 12V/8.3A Power factor(cosφ) 1 1 1 Rated rotation speed(rpm) 3000/3600 3000/3600 3000/3600 Noise level 78 78 70 Fuel tank capacity(L) 30 30 30 Structure type Open Frame type Engine Engine Model 2V86FE 2V86FE 2V86FE Type Two cylinder,4-stroke,air-cooled,diesel engine Displacement(ml) 840 840 840 Max.output power(kw)/Speed(Rpm) 15/3600 15/3600 15/3600 Oil capacity(L) 1.7 1.7 1.7 starting method Electric start Options 3-Phase Ac voltage Available Available Available 4-wheel vehicle set Available Available Available 2-Wheel and handle Available Available Available Side panel Available Available Available Double voltage switch Available Available Available Remote control system Available Available Available ATS Available Available Available Time meter Available Available Available Pack Packing size(mm) 895x660x885 895x660x885 950x690x915 Net weight(Kgs) 179 179 205 Gross weight(Kgs) 205 205 235 20FT Qty 80 80 70
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise

Origin	China
--------	-------

CONTENTS	■ Two cylinder Air-cooled diesel generator	■ Parameter
----------	--	-------------

Two cylinder Air-cooled diesel generator

Parameter

Two cylinder Air-cooled Diesel generator				
Generator	Model	8GF-LE	10GF-LE	10GF-LDE
	Rated output power(KW)	8	10	10
	Max.power(KW)	10	12	12
	Rated frequency(Hz)	50/60	50/60	50/60
	1-Phase AC voltage	110/220	110/220	110/220
	DC output	12V/8.3A	12V/8.3A	12V/8.3A
	Power factor(cosφ)	1	1	1
	Rated rotation speed(rpm)	3000/3600	3000/3600	3000/3600
	Noise level	78	78	70
	Fuel tank capacity(L)	30	30	30
	Structure type	Open Frame type		
Engine	Engine Model	2V86FE	2V86FE	2V86FE
	Type	Two cylinder,4-stroke,air-cooled,diesel engine		
	Displacement(ml)	840	840	840
	Max.output power(kw)/Speed(Rpm)	15/3600	15/3600	15/3600
	Oil capacity(L)	1.7	1.7	1.7
	starting method	Electric start		
Options	3-Phase Ac voltage	Available	Available	Available
	4-wheel vehicle set	Available	Available	Available
	2-Wheel and handle	Available	Available	Available
	Side panel	Available	Available	Available
	Double voltage switch	Available	Available	Available
	Remote control system	Available	Available	Available
	ATS	Available	Available	Available
	Time meter	Available	Available	Available

Pack	Packing size(mm)	895x660x885	895x660x885	950x690x915
	Net weight(Kgs)	179	179	205
	Gross weight(Kgs)	205	205	235
	20FT Qty	80	80	70