

WALL PANEL


Type A Wall Panel

Type A Wall Panel Model Thickness Fire class Core material B50A 50MM B-15 ...

ISO9001 Supplier

Class Certificate

Export Supply




Key Highlights

Category	Wall Panel
Standard	EN
Material	Galvanized/ Stainless steel plate with PVC film and rock wool
Weight / Size	Type A Wall Panel Model Thickness Fire class Core material B50A 50MM B-1...
Certificate	ABS, LR, BV, GL, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Wall Panel	Model / SKU	Type-A-Wall-Panel
Standard	EN	Material	Galvanized/ Stainless steel plate with PVC film and rock wool
Weight / Size	Type A Wall Panel Model Thickness Fire class Core material B50A 50MM B-15 rock wool B30A 30mm B-15/B-0 rock wool B25A 25mm B-15/B-0 rock wool B25A 25mm B-0 Aluminum honeycomb B50AD 50mm B-15 rock wool B50AGa 50mm B-15 rock wool Main Specification Type B50A B30A B25A B25A Fire class B-15 B-15/B-0 B-15/B-0 B-0 Weight 16.0kg/m2 13.5kg/m2 12.9kg/m2 10.0kg/m2 Sound reduction 33dB 31dB --dB --dB Thermal transmittance 0.58Kcal/m2h°C 1.10Kcal/m2h°C 1.14Kcal/m2h°C 3.35Kcal/m2h°C Core material Rock wool 150kg/m3 Aluminum honeycomb Surface finish PVC film(150μ,low flame spread) or galvanized steel Dimension 25/30/50mm(t)×550mm(w) ×length (max.3500mm) Tolerances Thickness0-1×Width0- 1×Length±3 Wall Panels mainly include standard panel, soud absorption panel, high sound reduction panel, double-layer panel, conduit panel, corner panel and wet-room panel etc.	Surface	galvanized
Certificate	ABS, LR, BV, GL, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

CONTENTS	Type A Wall Panel Main Specification
----------	--



Type A Wall Panel

Model	Thickness	Fire class	Core material
B50A	50MM	B-15	rock wool
B30A	30mm	B-15/B-0	rock wool
B25A	25mm	B-15/B-0	rock wool
B25A	25mm	B-0	Aluminum honeycomb
B50AD	50mm	B-15	rock wool
B50AGa	50mm	B-15	rock wool

Main Specification

Type	B50A	B30A	B25A	B25A
Fire class	B-15	B-15/B-0	B-15/B-0	B-0
Weight	16.0kg/m2	13.5kg/m2	12.9kg/m2	10.0kg/m2
Sound reduction	33dB	31dB	--dB	--dB
Thermal transmittance	0.58Kcal/m2h°C	1.10Kcal/m2h°C	1.14Kcal/m2h°C	3.35Kcal/m2h°C
Core material	Rock wool 150kg/m3			Aluminum honeycomb
Surface finish	PVC film(150μ,low flame spread) or galvanized steel			
Dimension	25/30/50mm(t)×550mm(w)×length (max.3500mm)			
Tolerances	Thickness0-1×Width0-1×Length±3			

Wall Panels mainly include standard panel, sound absorption panel, high sound reduction panel, double-layer panel, conduit panel, corner panel and wet-room panel etc.