

TURNBUCKLE

U.S. Type Turnbuckles With Eye And Hook

ISO9001 Supplier

Class Certificate

Export Supply

Main Specification Turnbuckle usually Forged, Free forged and Casting. The surface of turnbuckle original color, galvanised,hot galvanized Material is 45# Steel, Q235 Size Table ...



Key Highlights

Category	Turnbuckle
Standard	EN
Material	45# Steel, Q235
Weight / Size	The surface of turnbuckle original color, galvanised,hot galvanized Mate...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Turnbuckle	Model / SKU	U-S-Type-Turnbuckles-With-Eye-And-Hook
Standard	EN	Material	45# Steel, Q235
Weight / Size	The surface of turnbuckle original color, galvanised,hot galvanized Material is 45# Steel, Q235 Size Table Thread Dia & Take Up WLL(lbs) Weight(lbs) Dimensions(in) A D E Closed F J Open K Closed M Open N Closed R S X Closed BB 1/4x4 400 0.31 0.25 0.44 1.67 1.27 11.66 7.66 12.29 8.29 0.81 0.34 1.76 4.07 5/16x41/2 700 0.5 0.31 0.5 2 1.5 13.5 9 14.28 9.78 0.95 0.44 2.2 4.58 3/8x6 1000 0.79 0.38 0.56 2.28 1.76 17.09 11.09 18.04 12.04 1.13 0.53 2.48 6.1 1/2x6 1500 1.8 0.5 0.65 3.53 2.28 19.57 13.57 20.79 14.79 1.41 0.71 3.56 6.03 1/2x12 1500 2.7 0.5 0.65 3.51 2.28 31.86 19.86 33.08 21.08 1.41 0.71 3.54 12.36 5/8x6 2250 2.98 0.63 0.9 4.24 2.81 21.11 15.11 22.61 16.61 1.8 0.88 4.35 6.03 5/8x12 2250 4.35 0.63 0.9 4.23 2.81 33.45 21.45 34.95 22.95 1.8 0.88 4.34 12.39 3/4x6 3000 4.21 0.75 0.98 5.07 3.33 22.61 16.61 24.45 18.45 2.09 1 5.12 6.13 3/4x12 3000 6.52 0.75 0.98 5.04 3.33 35.01 23.01 36.85 24.85 2.09 1 5.09 12.59 3/4x18 3000 8.24 0.75 0.98 5.07 3.33 47.01 29.01 48.85 30.85 2.09 1 5.12 18.53 7/8x12 4000 9.34 0.88 1.13 5.82 3.78 36.11 24.11 38.23 26.23 2.38 1.25 5.79 12.16 1x12 5000 13.9 1 1.25 6.56 4.25 37.65 25.65 40.06 28.06 3 1.43 6.5 12.18	Surface	galvanized
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

CONTENTS	■ Main Specification	■ Size Table
----------	----------------------	--------------


Main Specification

Turnbuckle usually Forged, Free forged and Casting.

The surface of turnbuckle original color, galvanised,hot galvanized

Material is 45# Steel, Q235

Size Table



Thread Dia & Take Up	WLL(lbs)	Weight(lbs)	Dimensions(in)											
			A	D	E Close d	F	J Ope n	K Close d	M Open	N Close d	R	S	X Close d	BB
1/4x4	400	0.31	0.2 5	0.4 4	1.67	1.2 7	11.6 6	7.66	12.29	8.29	0.8 1	0.3 4	1.76	4.0 7
5/16x4 1/2	700	0.5	0.3 1	0.5	2	1.5	13.5	9	14.28	9.78	0.9 5	0.4 4	2.2	4.5 8
3/8x6	1000	0.79	0.3 8	0.5 6	2.28	1.7 6	17.0 9	11.09	18.04	12.04	1.1 3	0.5 3	2.48	6.1
1/2x6	1500	1.8	0.5	0.6 5	3.53	2.2 8	19.5 7	13.57	20.79	14.79	1.4 1	0.7 1	3.56	6.0 3
1/2x12	1500	2.7	0.5	0.6 5	3.51	2.2 8	31.8 6	19.86	33.08	21.08	1.4 1	0.7 1	3.54	12. 36
5/8x6	2250	2.98	0.6 3	0.9	4.24	2.8 1	21.1 1	15.11	22.61	16.61	1.8	0.8 8	4.35	6.0 3
5/8x12	2250	4.35	0.6 3	0.9	4.23	2.8 1	33.4 5	21.45	34.95	22.95	1.8	0.8 8	4.34	12. 39
3/4x6	3000	4.21	0.7 5	0.9 8	5.07	3.3 3	22.6 1	16.61	24.45	18.45	2.0 9	1	5.12	6.1 3
3/4x12	3000	6.52	0.7 5	0.9 8	5.04	3.3 3	35.0 1	23.01	36.85	24.85	2.0 9	1	5.09	12. 59
3/4x18	3000	8.24	0.7 5	0.9 8	5.07	3.3 3	47.0 1	29.01	48.85	30.85	2.0 9	1	5.12	18. 53
7/8x12	4000	9.34	0.8 8	1.1 3	5.82	3.7 8	36.1 1	24.11	38.23	26.23	2.3 8	1.2 5	5.79	12. 16
1x12	5000	13.9	1	1.2 5	6.56	4.2 5	37.6 5	25.65	40.06	28.06	3	1.4 3	6.5	12. 18