

MARINE HOIST

VD Heavy Duty Chain Block Hoist

VD Heavy Duty Chain Block Hoist The VD Heavy-Duty Hand Chain Hoist is an efficient, reliable, and portable manual lifting device designed for lifting and moving medium-to-heavy loads in industrial, construct...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Marine Hoist
Standard	EN
Material	VD Heavy Duty Chain Block Hoist The VD Heavy-Duty Hand Chain Hoist is an...
Weight / Size	Model Lifting Capacity (T) Lifting Height(M) Testing Load(T) Minimum Dist...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Marine Hoist	Model / SKU	VD-Heavy-Duty-Chain-Block-Hoist
Standard	EN	Material	VD Heavy Duty Chain Block Hoist The VD Heavy-Duty Hand Chain Hoist is an efficient, reliable, and portable manual lifting device designed for lifting and moving medium-to-heavy loads in industrial, construction, logistics, and related fields. Constructed from premium alloy steel materials and integrated with a precision gear transmission system and high-strength load chains, it safely handles loads ranging from 1 to 50 tons, meeting diverse operational requirements.
Weight / Size	Model Lifting Capacity (T) Lifting Height(M) Testing Load(T) Minimum Distance Between Two Hooks(N) Number of Chains Chain Diameter(mm) Dimensions Weight(KG) A B C H 0.5TSC 0.5 3 0.75 240 1 5 132 148 148 345 9 1TSC 1 3 1.5 250 1 6 151 172 172 376 12 2TSC 2 3 3 335 1 8 175 210 210 470 19 2TDS 2 3 3 330 2 6 151 159 159 315 16 3TSC 3 3 4.5 363 1 10 176 230 230 565 26 3TDC 3 3 4.5 370 2 7/8 151 208 208 475 23 5TSC 5 3 7.5 360 2 10 189 280 280 688 42 7.5T 7.5 3 10 410 3 10 188 398 398 720 68 10T 10 3 12.5 380 4 10 189 463 463 765 70	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

China VD Heavy Duty Chain Block Hoist:

VD Heavy Duty Chain Block Hoist

The VD Heavy-Duty Hand Chain Hoist is an efficient, reliable, and portable manual lifting device designed for lifting and moving medium-to-heavy loads in industrial, construction, logistics, and related fields. Constructed from premium alloy steel materials and integrated with a precision gear transmission system and high-strength load chains, it safely handles loads ranging from 1 to 50 tons, meeting diverse operational requirements.

Model	Lifting Capacity (T)	Lifting Height(M)	Testing Load(T)	Minimum Distance Between Two Hooks(N)	Number of Chains	Chain Diameter(mm)	Dimensions				Weight(KG)
							A	B	C	H	
0.5TSC	0.5	3	0.75	240	1	5	132	148	148	345	9
1TSC	1	3	1.5	250	1	6	151	172	172	376	12
2TSC	2	3	3	335	1	8	175	210	210	470	19
2TDS	2	3	3	330	2	6	151	159	159	315	16
3TSC	3	3	4.5	363	1	10	176	230	230	565	26
3TDC	3	3	4.5	370	2	7/8	151	208	208	475	23
5TSC	5	3	7.5	360	2	10	189	280	280	688	42
7.5T	7.5	3	10	410	3	10	188	398	398	720	68

10T	1 0	3	12.5	3 8 0	4	10	1 8 9	4 6 3	4 6 3	7 6 5	70
-----	--------	---	------	-------------	---	----	-------------	-------------	-------------	-------------	----