

AIR AND GENERAL PURPOSE HOSE

Water Hose

Main Specification ID OD WP BP Bending Radius Plies Weight Length ...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Air and General Purpose Hose
Standard	DIN
Material	Rubber
Weight / Size	Main Specification ID OD WP BP Bending Radius Plies Weight Length mm inc...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Air and General Purpose Hose	Model / SKU	Water-Hose
Standard	DIN	Material	Rubber
Weight / Size	Main Specification ID OD WP BP Bending Radius Plies Weight Length mm inch mm inch Mpa bar Mpa bar mm B kg/m m 10 3/8" 18 3/4" 2.5 25 7.5 75 130 1 0.3 20-50 12.5 1/2" 23 7/8" 2.5 25 7.5 75 180 1 0.46 20-50 16 5/8" 26 1" 2 20 6 60 205 1 0.53 20-50 19 3/4" 29 1- 1/4" 2 20 6 60 240 1 0.6 20-50 22 7/8" 32 1-1/4" 1.5 15 4.5 45 280 1 0.8 20-50 25 1" 35 1-2/5" 1.5 15 4.5 45 300 1 0.93 20-50 31.5 1- 1/4" 42 1-5/8" 1.5 15 4.5 45 420 2 1.25 20-50 38 1-1/2" 48 1-7/8" 1.2 12 3.6 36 500 2 1.47 20-50 45 1- 3/4" 56 2-1/4" 1.2 12 3.6 36 600 2 1.76 20-50 50 2" 64 2-1/2" 1.2 12 3.6 36 630 2 1.92 20-50 57 2-1/4" 70 2-4/5" 1.2 12 3.6 36 855 2 2.1 20-50 63 2-1/2" 78 3" 1 10 3 30 960 2 2.56 20-50 76 3" 90 3-1/2" 1 10 3 30 1140 2 2.96 20-50 90 3- 1/2" 104 4" 0.8 8 2.4 24 1350 2 3.7 20-50 100 4" 116 4-5/8" 0.8 8 2.4 24 1530 2 4.22 20-50	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

Main Specification

ID		OD		WP		BP		Bending Radius	Plies	Weight	Length
mm	inch	mm	inch	Mpa	bar	Mpa	bar	mm	B	kg/m	m
10	3/8"	18	3/4"	2.5	25	7.5	75	130	1	0.3	20-50
12.5	1/2"	23	7/8"	2.5	25	7.5	75	180	1	0.46	20-50
16	5/8"	26	1"	2	20	6	60	205	1	0.53	20-50
19	3/4"	29	1-1/4"	2	20	6	60	240	1	0.6	20-50
22	7/8"	32	1-1/4"	1.5	15	4.5	45	280	1	0.8	20-50
25	1"	35	1-2/5"	1.5	15	4.5	45	300	1	0.93	20-50

31.5	1-1/4"	42	1-5/8"	1.5	15	4.5	45	420	2	1.25	20-50
38	1-1/2"	48	1-7/8"	1.2	12	3.6	36	500	2	1.47	20-50
45	1-3/4"	56	2-1/4"	1.2	12	3.6	36	600	2	1.76	20-50
50	2"	64	2-1/2"	1.2	12	3.6	36	630	2	1.92	20-50
57	2-1/4"	70	2-4/5"	1.2	12	3.6	36	855	2	2.1	20-50
63	2-1/2"	78	3"	1	10	3	30	960	2	2.56	20-50
76	3"	90	3-1/2"	1	10	3	30	1140	2	2.96	20-50
90	3-1/2"	104	4"	0.8	8	2.4	24	1350	2	3.7	20-50
100	4"	116	4-5/8"	0.8	8	2.4	24	1530	2	4.22	20-50