

LOW PRESSURE AIR COOLED MARINE AIR COMPRESSOR


WP18L Marine Low Pressure Air Compressor

Design Particulars: Max Pressure 0.8/1.0MPa V-type/W-type arranged, Low vibration Air-cooled type, avoid costs for water circuit Lubrication system: splash/pressure oil lubrication Perform...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Low Pressure Air Cooled Marine Air Compressor
Standard	EN
Weight / Size	Model Pressure (MPa) Stages Speed/rpm (50Hz) Speed/rpm (60Hz) Capacity (...)
Certificate	CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Low Pressure Air Cooled Marine Air Compressor	Model / SKU	WP18L-Marine-Low-Pressure-Air-Compressor
Standard	EN	Weight / Size	Model Pressure (MPa) Stages Speed/rpm (50Hz) Speed/rpm (60Hz) Capacity (m3/h) Power required (KW) Power of motor (KW) Cooling air required (L/min) Dimension (LxWxH) WP18L 0.8/1.0 1 1170 20 2.1 3 11 884*640*534 1 1450 24 2.5 3 14 1 1750 30 3.2 4 18 WP25L 0.8/1.0 1 1170 38 3.6 4 20 884*640*534 1 1450 44 4.2 5.5 24 1 1750 55 4.2 5.5 36 WP32L 0.8/1.0 1 970 38 5.4 5.5 30 930*640*534 1 1170 45 5.6 7.5 46 1 1450 56 6.8 7.5 56 1 1750 68 8.2 11 68 Special Pressure 4.0Mpa Model:
Certificate	CCS	Warranty	12 Months unless specified otherwise
Origin	China		

CONTENTS	■ Design Particulars: ■ Special Pressure 4.0Mpa Model:	■ Tecahnical Data:
----------	--	-------------------------------

Design Particulars:

Max Pressure 0.8/1.0MPa

V-type/W-type arranged, Low vibration

Air-cooled type, avoid costs for water circuit

Lubrication system: splash/pressure oil lubrication

Performance data with 5% tolerance

Standard voltage and frequency: 380V/50HZ, 440V/60HZ.

Tecahnical Data:

Model	Pressur e (MPa)	Stage s	Speed/rp m (50Hz)	Speed/rp m (60Hz)	Capacit y (m3/h)	Power required (KW)	Power of motor (KW)	Cooling air required (L/min)	Dimensio n (LxWxH)
-------	-----------------	---------	---------------------	---------------------	------------------	---------------------	---------------------	-------------------------------	--------------------

WP18 L	0.8/1.0	1	1170	20	2.1	3	11	884*640*534
		1	1450	24	2.5	3	14	
		1	1750	30	3.2	4	18	
WP25 L	0.8/1.0	1	1170	38	3.6	4	20	884*640*534
		1	1450	44	4.2	5.5	24	
		1	1750	55	4.2	5.5	36	
WP32 L	0.8/1.0	1	970	38	5.4	5.5	30	930*640*534
		1	1170	45	5.6	7.5	46	
		1	1450	56	6.8	7.5	56	
		1	1750	68	8.2	11	68	

Special Pressure 4.0Mpa Model:

Model	Discharge Pressure (MPa)	inlet Pressure (MPa)	Stages	Speed/rpm (50Hz)	Capacity (m3/h)	Power required (KW)	Power of motor (KW)	Cooling air required (L/min)	Dimension (LxWxH)
WP18 L	4	0.5	1	970	30	5.4	5.5	30	884*640*534