

MARINE PRESSURE INSTRUMENT

YJK Type Marine Pressure Controller

Product Description: YJK Type Pressure Controller,pressure differential controllers can be used to control pressure and pressure differential of gas and liquids etc. in ship and other industrial instrument. C...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

|             |                                                                                |
|-------------|--------------------------------------------------------------------------------|
| Category    | Marine Pressure Instrument                                                     |
| Standard    | EN                                                                             |
| Material    | Model Set value range(Mpa)<br>Adjustment range of differential gap(mpa) Err... |
| Certificate | CCS, GL, LR, BV, ABS, DNV, RINA, NK, KR and EC certificate.                    |

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

| Technical Specifications |                                                             |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|--------------------------|-------------------------------------------------------------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Category                 | Marine Pressure Instrument                                  | Model / SKU | YJK-Type-Marine-Pressure-Controller                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Standard                 | EN                                                          | Material    | Model Set value range(Mpa)<br>Adjustment range of differential gap(mpa)<br>Error of set value (Mpa)<br>Error of repeatability (Mpa)<br>Remarks min switching differential<br>max switching differential YJK-21K<br>1-1-01 -0.03~0.4 ≤0.04 ≥0.25<br>±0.016 ≤0.005 The controlled<br>meidum is not corrosive to brass,<br>lead, stainless steel and Sn-cu<br>solder YJK-21K 1-2-01 ≤0.04<br>±0.016 YJK-21K 1-1-1-01 YJK-21K<br>1-1-02 0.1~0.7 ≤0.1 ≥0.25 ±0.016<br>≤0.005 YJK-21K 1-2-02 YJK-21K<br>1-1-03 0.7~1.9 ≤0.2 ≥0.5 ±0.076<br>≤0.015 YJK-21K 1-1-04 -0.09~0.25<br>≤0.04 ≥0.1 ±0.016 ≤0.005 YJK-<br>21K 1-1-1-04 ≤0.04 YJK-2-OM5-04<br>-0.07~0.25 ≤0.03 ±0.016 ≤0.005<br>YJK-21K 1-2-05 0.7~3.0 ≤0.2 ≥0.5<br>±0.076 ≤0.015 YJK-231K 1-01<br>0.02~0.25 ≤0.04 ±0.01 ≤0.004<br>YJK-231K 1-03 0.06~0.6 ≤0.07<br>±0.025 ≤0.008 |
| Certificate              | CCS, GL, LR, BV, ABS, DNV, RINA, NK, KR and EC certificate. | Warranty    | 12 Months unless specified otherwise                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Origin                   | China                                                       |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

|          |                                                          |                                                                   |
|----------|----------------------------------------------------------|-------------------------------------------------------------------|
| CONTENTS | <div> <div></div> <div>Product Description:</div> </div> | <div> <div></div> <div>Main Technical Specification:</div> </div> |
|----------|----------------------------------------------------------|-------------------------------------------------------------------|

## Product Description:

YJK Type Pressure Controller,pressure differential controllers can be used to control pressure and pressure differential of gas and liquids etc. in ship and other industrial instrument.

Contact capacity:AC220V 1A.

## Main Technical Specification:

| Model            | Set value range(Mpa) | Adjustment range of differential gap(mpa) |                            | Error of set value (Mpa) | Error of repeatability (Mpa) | Remarks                                                                                 |
|------------------|----------------------|-------------------------------------------|----------------------------|--------------------------|------------------------------|-----------------------------------------------------------------------------------------|
|                  |                      | min switching differential                | max switching differential |                          |                              |                                                                                         |
| YJK-21K 1-1-01   | -0.03~0.4            | ≤0.04                                     | ≥0.25                      | ±0.016                   | ≤0.005                       | The controlled meidum is not corrosive to brass, lead, stainless steel and Sn-cu solder |
| YJK-21K 1-2-01   |                      |                                           | ≤0.04                      | ±0.016                   |                              |                                                                                         |
| YJK-21K 1-1-1-01 |                      |                                           |                            |                          |                              |                                                                                         |
| YJK-21K 1-1-02   | 0.1~0.7              | ≤0.1                                      | ≥0.25                      | ±0.016                   | ≤0.005                       |                                                                                         |
| YJK-21K 1-2-02   |                      |                                           |                            |                          |                              |                                                                                         |
| YJK-21K 1-1-03   | 0.7~1.9              | ≤0.2                                      | ≥0.5                       | ±0.076                   | ≤0.015                       |                                                                                         |
| YJK-21K 1-1-04   | -0.09~0.25           | ≤0.04                                     | ≥0.1                       | ±0.016                   | ≤0.005                       |                                                                                         |
| YJK-21K 1-1-1-04 |                      |                                           | ≤0.04                      |                          |                              |                                                                                         |
| YJK-2-OM5-04     | -0.07~0.25           | ≤0.03                                     |                            | ±0.016                   | ≤0.005                       |                                                                                         |
| YJK-21K 1-2-05   | 0.7~3.0              | ≤0.2                                      | ≥0.5                       | ±0.076                   | ≤0.015                       |                                                                                         |
| YJK-231K 1-01    | 0.02~0.25            | ≤0.04                                     |                            | ±0.01                    | ≤0.004                       |                                                                                         |
| YJK-231K 1-03    | 0.06~0.6             | ≤0.07                                     |                            | ±0.025                   | ≤0.008                       |                                                                                         |