

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

MARINE TOOLS

Non-Sparking Non-slip F Type Valve Handle

ISO9001 Supplier

Class Certificate

Export Supply

These Non-Sparking Non-slip F Type Valve Handle are made of Aluminum Bronze and Beryllium Copper, it is a high quality grade beryllium copper alloy material and a standard grade aluminum-bronze alloy. These tools are n...



Key Highlights


Category	Marine Tools
Standard	These Non-Sparking Non-slip F Type Valve Handle are made of Aluminum Bro...
Material	Aluminum Bronze, Beryllium Copper
Weight / Size	S mm L mm H mm Weight (g) Aluminum Bronze Beryllium Copper 30 200 46 240...
Certificate	EACC, IAF

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Marine Tools	Model / SKU	Non-Sparking-Non-slip-F-Type-Valve-Handle
Standard	These Non-Sparking Non-slip F Type Valve Handle are made of Aluminum Bronze and Beryllium Copper, it is a high quality grade beryllium copper alloy material and a standard grade aluminum-bronze alloy.	Material	Aluminum Bronze, Beryllium Copper
Weight / Size	S mm L mm H mm Weight (g) Aluminum Bronze Beryllium Copper 30 200 46 240 265 35 250 52 340 375 40 300 54 400 450 45 350 60 530 585 50 400 68 670 740 55 450 74 750 830 60 500 80 1100 1200 65 550 83 1160 1280 70 600 88 1250 1380 75 650 93.5 1500 1650 80 700 99.5 1700 1870 85 750 100 1900 2090 90 800 107 2100 2310 95 900 112 2700 2980 100 1000 117 3010 3330	Certificate	EACC, IAF
Warranty	12 Months unless specified otherwise	Origin	China

China Non-Sparking Non-slip F Type Valve Handle:

These Non-Sparking Non-slip F Type Valve Handle are made of Aluminum Bronze and Beryllium Copper, it is a high quality grade beryllium copper alloy material and a standard grade aluminum-bronze alloy. These tools are non-magnetic and non-corrosion, very suitable used for LPG and LNG vessels, and oil-gas industry etc.



S mm	L mm	H mm	Weight (g)	
			Aluminum Bronze	Beryllium Copper
30	200	46	240	265
35	250	52	340	375
40	300	54	400	450

45	350	60	530	585
50	400	68	670	740
55	450	74	750	830
60	500	80	1100	1200
65	550	83	1160	1280
70	600	88	1250	1380
75	650	93.5	1500	1650
80	700	99.5	1700	1870
85	750	100	1900	2090
90	800	107	2100	2310
95	900	112	2700	2980
100	1000	117	3010	3330

